Scandinavian Design and Quality 25 Years of Standing Desks







Ergonomics, Reliability & Innovation - The ConSet Standard

ConSet is a Scandinavian manufacturer of electric height-adjustable desks, celebrating 25 years of innovation.

Our products are designed to enhance efficiency, health, and comfort in the workplace, a commitment that defines the foundation of ConSet.

Since delivering our first electric desk in 2000, we have been pioneers in height-adjustable workspaces.

Over the years, we have continuously refined our products through extensive development and production improvements, expanding our range while staying true to our core principles: rigorous testing, reliability, value for money, and choice.

Our new catalogue presents the widest range of frame options we have ever offered, with each series designed for a specific ergonomic purpose. Smaller tables are available in larger selections, and paradoxically, it also applies to larger ones that are suitable for many screens.

In the professional office furniture sector, reliability and repeat orders are essential, and securing customer confidence remains a top priority at ConSet.

Find Your Perfect Desk

Scan the QR code or visit consetaustralia.com.au and click 'Height Calculator' to find the perfect desk for your height. The 'ConSet Height Calculator' recommends the ideal sitting and standing height based on gender, height, and footwear, and suggests the best ConSet desk to match.

For very tall or very small individuals, multi-user setups, or desks shared by adults and children, finding the right fit can be challenging. In these cases, the height calculator is an invaluable tool.



But remember — the best height is the next height!

Alternate between sitting and standing to stay active and get the most out of your desk and day.





Sustainability in Numbers, Not Just Words

The green transition is a reality, and manufacturers have a responsibility. As an engineer-driven company, ConSet makes rational choices based on data to actively drive sustainability in our operations.

To ensure transparency, ConSet has performed a Life Cycle Assessment (LCA), reviewed by TÜV under EN 14040, EN 14044, and EN 14071 standards. This analysis measures the full environmental impact of our products, from raw materials to end-of-life disposal.

We publish CO2 data for every product on our website, making sustainability reporting easier for businesses. While a secondhand fixed desk may have the lowest CO2 impact, it is not a practical solution for a modern, ergonomic workspace—where 60-90% of people experience back pain in their lifetime.

Electronics significantly impact CO2 emissions, which is why simplicity and efficiency are core to our designs. Fewer components mean greater reliability while reducing environmental impact. Our approach ensures that every product has a measurable and concrete CO2 value, making sustainability decisions clear and transparent.

Price and other supply factors still exist but inside all our priorities is how a product affects emissions with a concrete calculated number so that it is easier to explain than a lot of words.




Scan the QR code and read more about the results from LCA or visit www.consetaustralia.com.au.



501-9 | Slim and Stable

At ConSet, we designed our first small height-adjustable pedestal desk 25 years ago, and we quickly learned that creating a slim, single-column desk that remains strong and stable demands precision.

With the 501-9, we've perfected the balance between sleek design and rock-solid stability.



- Wall-mounted A smart, space-saving solution.
- Freestanding Designed with a sturdy base.

The freestanding model can be equipped with wheels or a rechargeable battery, ensuring total mobility—so your ergonomic workstation not only moves up and down, but from room to room.




















501-19 | Versatile frame

The 501-19 series offers a range of strong height-adjustable desks, designed to maximise flexibility and functionality.

501-19 Center (A) – Strong and compact with a symmetrical design, providing access from all sides and compatibility with smaller tabletops.

501-19 Basic (B) – Ideal for group setups, supporting up to 80 kg and various tabletop sizes.

501-19 Design (C) - Features a sleek crescent-shaped base, perfect for stylish and functional group arrangements.

501-19 Wall (D) – A space-saving solution, with options for multiple units to lift wall-mounted benches.

Enjoy complete flexibility by adding wheels and a rechargeable battery pack.







501-20 | Nothing Excessive

A work desk that delivers exactly what you need—nothing more, nothing less.

The 501-20 is ConSet's first desk with slim profiles, carefully balancing minimalism and stability. The desk travels from 680 mm to 1190 mm and has a load capacity of 60 kg.





Materials are reduced to essentials, using only recyclable and reusable components to lower CO2 emissions. This philosophy extends to transport and packaging, ensuring a more sustainable solution. The legset is delivered in a compact box, that only weighs 14 kg.

The first ConSet desk fully designed to minimize its carbon footprint, the 501-20 proves that sustainability does not exclude quality, durability, and great ergonomics

The 501-20 is ConSet's contribution to Nordic minimalism.





501-23 | Strong and Stylish

Lifting up to 175 kg, the 501-23 delivers stability and durability with a sleek, elegant design.

The centred base maximises legroom on both sides while ensuring balance without added bulk. It also includes an integrated cable tray for a neat, organised setup.

Flexible configurations to suit any need:

- Wall-mounted Synchronise up to 3 columns.
- 3-leg L-shape Perfect for large workspaces.
- 2-leg design A simple, popular solution.

Columns can be arranged in unique formations—limited only by imagination.

Sleek, durable, and designed to impress.











501-33 | Efficient by Design

The height difference between the tallest and shortest person in the world is significant. Ideally, a single desk would suit everyone, both sitting and standing. While this is technically possible, achieving it would require excessive materials and costs.

We are all familiar with the 80/20 rule, it is the one expressed in EN 527-1, TYPE D. The standard defines the dimensions of a sit/stand desk suitable for 80% of the adult European population.

501-33 is built for professionals who value smart design, and who have the 80/20 mindset. It assembles quickly due to its three large modular components and offers straightforward operation and reliability. This desk will effortlessly become a part of everyday work life and is built to last for years to come.

A practical choice for those who demand efficiency and durability.




501-37 | Ergonomics for All

With a height range of 570 to 1220 mm, this desk is ideal for users who don't fit standard office furniture—including children. It suits individuals from 1440 mm in height, whether seated or standing, and supports tabletops as shallow as 600 mm.

The low height also means that the desk is great to be used with wheels, as it does not become too high for sitting with wheels.

The table is available with 3 columns, either for L-configurations or a multi-screen setup. Professional-use areas also show that the table is of well-tested quality.











501-43 | Premium Quality

A table series that is available both as a regular desk and as a large corner table.

The height travel is 680 mm and it moves from 620 to 1300mm. The tables in the series can lift 100kg. The desk delivers more than the standard requires on both travel and load capacity.

There are 60 color/size combinations, and the desk is available in both 2 and 3 leg configurations.

The foot has a unique and thorough design that contributes to moving the visual expression from fixture to furniture. The design has been around for some years and it just gets better.

The series is is the second most expensive in our program. Design and performance cost a little more, but the value is there.







501-88 | Two in one

Bench or double tables are perfect for offices with focus on teamwork and close daily cooperation. Workers can still set their own desk height, but feel part of the team with a bench desk setup.

The concept has 3 advantages:

With this desk set-up cleaning under desks is very easy and the desks never have to be moved around to access the floor under the desks. Less time spent cleaning an office is always a plus.

Cable management is simple, and all cables can be distributed from the center cable tray to different workstations. And most importantly, kept off the floor.

It is easier to maintain the aesthetic lines of a room. Many tables with many heights can make a room seem cluttered. This is minimized with double tables and the effect is enhanced with the use of separation screens.



Product photo featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Colour	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	List price (\$) (incl. GST)
1	900mm ——————————————————————————————————	501-19 4SW 501-19 4BW *	88 88	Silver Black	68-120	28	80	821
Į	600mm Eu 20093	501-19 4S060 501-19 4B060 *	103 103	Silver Black	68-120	28	80	1036
I	950mm Ew. 950mm	501-19 4S095 501-19 4B095 *	106 106	Silver Black	68-120	28	80	997
1	1200mm W000000000000000000000000000000000	501-19 4S120 501-19 4B120 *	122 122	Silver Black	68-120	28	80	1237
	1720mm ww 0.29	501-20 4W072 501-20 4W092 501-20 4W112 501-20 4W142 501-20 4W152 501-20 4B092 501-20 4B112 501-20 4B142 501-20 4B152 501-20 4B172 *	74 76 78 78 82 83 76 78 82 83	White White White White White Black Black Black Black Black	68-119	35	60	488
TI	1320-1720mm	501-20 4W112-152 501-20 4W132-172 501-20 4B112-152 501-20 4B132-172 *	83 84 83 84	White White Black Black	68-119	35	60	519

Technical spec	ifications All prid	es in AUD incl. G	ST excl.	freight				
Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Colour	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	List price (\$) (incl. GST)
TIT		501-23 4SW2 501-23 4SW3 501-23 4BW2 501-23 4BW3 *	175 258 175 258	Silver Silver Black Black	68-120	22	175	1658 2378 1658 2378
U	1320 - 1920mm	501-23 4S200 501-23 4B200 *	207 207	Silver Black	68-120	22	175	1939
M	780mm 1450 - 1350mm 1520-1920mm	501-23 4S190-190A 501-23 4B190-190A *	292 292	Silver Black	68-120	22	175	2787
	1720mm \$\tau_000000000000000000000000000000000000	501-33 4W072 501-33 4W092 501-33 4W112 501-33 4W142 501-33 4W152 501-33 4W172 501-33 4S092 501-33 4S112 501-33 4S142 501-33 4S152 501-33 4S152 501-33 4S172 501-33 4B072 501-33 4B172 501-33 4B112 501-33 4B142 501-33 4B142 501-33 4B152 501-33 4B172 *	81 83 85 85 89 90 81 83 85 85 89 90 81 83 85 85 89 90	White White White White White White Silver S	68-118	25	80	588
1	1320mm - 1720mm	501-33 4W112-152 501-33 4W132-172 501-33 4S112-152 501-33 4S132-172 501-33 4B112-152 501-33 4B132-172 *	90 91 90 91 90 91	White White Silver Silver Black Black	68-118	25	80	619
	1720mm Eu0095	501-37 4W072 501-37 4W092 501-37 4W112 501-37 4W142 501-37 4W152 501-37 4W172 501-37 4B072 501-37 4B092 501-37 4B112 501-37 4B142 501-37 4B142 501-37 4B152 501-37 4B172 *	93 95 97 97 101 102 93 95 97 97 101 102	White White White White White Black Black Black Black Black Black	57-122	32	100	697

Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Colour	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	List price (\$) (incl. GST)
	1320mm-1720mm	501-37 4W112-152 501-37 4W132-172 501-37 4B112-152 501-37 4B132-172 *	102 103 102 103	White White Black Black	57-122	32	100	728
11	1720mm Em0/29	501-43 4W072 501-43 4W092 501-43 4W112 501-43 4W152 501-43 4W172 501-43 4S072 501-43 4S092 501-43 4S112 501-43 4S152 501-43 4S152 501-43 4B172 501-43 4B172 501-43 4B12 501-43 4B12 501-43 4B12 501-43 4B12 501-43 4B12 501-43 4B12 501-43 4B172 *	89 91 93 93 97 98 89 91 93 93 97 98 89 91 93 93 97 98	White White White White White White Silver Silver Silver Silver Silver Silver Black Black Black Black Black Black Black	62-130	32	100	755
11	1320-1720mm	501-43 4W112-152 501-43 4W132-172 501-43 4S112-152 501-43 4S132-172 501-43 4B112-152 501-43 4B132-172 *	98 99 98 99 98 99	White White Silver Silver Black Black	62-130	32	100	786
M	1720mm 480mm	501-43 4W142-141A 501-43 4W172-141A 501-43 4W172-172A 501-43 4S142-141A 501-43 4S172-141A 501-43 4S172-172A 501-43 4B142-141A 501-43 4B172-141A 501-43 4B172-141A	167 167 169 167 169 169 167 169	White White White Silver Silver Silver Black Black Black	62-130	32	100	1258
MM	1725mm ———————————————————————————————————	501-88 4W112 501-88 4W142 501-88 4W152 501-88 4W172 501-88 4B112 501-88 4B142 501-88 4B152 501-88 4B172 *	205 205 213 215 205 205 213 215	White White White White Black Black Black Black	65-125	32	100	1569
MM	1325 - 1725mm Ww.061	501-88 4W112-152 501-88 4W132-172 501-88 4B112-152 501-88 4B132-172 *	215 217 215 217	White White Black Black	65-125	32	100	1631

Technical spe	Technical specifications All prices in AUD incl. GST excl. freight													
Product photo * featured image	Dimensional drawing * featured image	Item no.	CO2e (kg)	Colour	Frame height min/max (cm) incl. tabletop	Max. speed (mm/sec.)	Maximum load (kg)	List price (\$) (incl. GST)						
	790mm 2000m	501-9 4W080 *	90	White	72-120	35	30	887						
	540 mm 340 mm	501-9 4WW01 *	53	White	72-120	35	30	653						

Elevating Excellence | ConSet Table tops

tem no.	CO2e (kg)	Beech mel.	White mel.	Item no.	CO2e (kg)	Beech mel.	White mel.
070-60S3				120-80\$3			
700mm Eu	5	138	138	1200mm	11	191	191
80-60S3				138H3			
800mm ##009	6	138	138	1380mm	920mm 9	296	296
980-80S3				150-80 S 3			
800mm EE008	7	159	159	1500mm	13 EE008	210	210
00-60 S 3				160-80S3			
1000mm	7	180	180	1600mm	14 EE008	184	184
00-80S3				180-80 S 3			
1000mm • EE0008	9	191	191	1800mm	16 008	230	230
17H3							
1170mm	9	239	239				

Elevating Excellence | ConSet Accessories

Product photo	Dimensional drawing	CO2e (kg)	Item no.	List price (\$) (incl. GST)
**************************************		4	Control panel - programmable	139250	136
ปีปี	8	3	Set of castors (4) for 501-19	501-19 HXXX	78
	205	2	Tilt device for 501-19	501-19 V-HEL	205
	96-166 cm [38" - 65 1/2"] &	17	Universal cable-tray, White	501-XX CW096- 166	67
0,	S S	5	Castorset (4), 501-9, 501-37	501-XX HXX1	84
7 T		4	Castorset (4), 501-33	501-XX HXXX	86
A S	T	20	Battery pack, ConSet Frame	BAT-24-1,7	250



STRENGTH AND STABILITY

Stability means everything when you're choosing a desk. Every height adjustable desk from ConSet is made with quality materials and meet both EU and Danish working-environment demands for a flexible and ergonomic workplace.

A height adjustable desk must work everyday and be easy to use for everyone. You can place your office equipment anywhere on a ConSet desk, and it will lift evenly and safely, even if the load is not loaded evenly. This unbeatable dependability is due to ConSet's one-motor-system. The operation is simple, no unnecessary complexity, just push the arrows for up or down on the user panel.

The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ONE MOTOR THAT DOES IT ALL

The one motor system and the simple mechanics that surround All ConSet height adjustable desk frames are CE marked in it, is the heart of a ConSet height adjustable desk. It ensures calm and gentle movements when you wish to move the table up or down and it ensures that the tabletop is always evenly adjusted.

- · Real mechanics
- Real lifting capacity
- · Less use of electronics
- · Improved product lifetime

WORKING ENVIRONMENT

A ConSet desk will improve ergonomics for its users – and hopefully improve job satisfaction.

All ConSet tabletops are low emission E0(EN 717-1), so the formaldehyde emission is as small as possible, and poses no risk at all to users of the desk.

ConSet desks also have Clean Air GOLD certification.

CLIMATE CONCOIOUSNESS

At Conset we know it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Life cycle assessment (LCA), in accordance with EN14040, EN14044 and EN14071 as a tool for targeted qualified improvements.
- CO2 emission calculations on all models.
- All electronic equipment meets RoHS framework for the reduction of hazardous substances in electronics.
- Through Elretur(Denmark) we ensure that electronic waste is managed environmentally through WEEE directive.
- The EUTR(EU timber regulation) is the law of the EU and will later be replaced by EUDR. ConSet wood products that are not imported, exported to the EU are not treated differently.

CE-MARKING AND PRODUCT APPROVALS


collaboration with the Technological institute in Denmark. CEmarking ensures that the producer has considered all security risks.

- EN 527-1/2: Dimensions / mechanical safety requirements methods of test for the determination of Stability and strength of the structure.
- DS/EN 12720-21-22: Furniture assessment of surface resistance to cold liquids wet and dry heats.

ConSet - A BRAND FROM SCANDINAVIA

ConSet was founded in 2000 in Denmark (Scandinavia) with the basic philosophy that ergonomics should not be expensive. We began to develop and manufacture high quality, electric height adjustable desk and made them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.

Frames Black (RAL 9004) Silver (RAL 9006) White (RAL 9016



Elevating Excellence | ConSet Combination chart

												150-8053 + 070-6053	160-8053 + 080-6053	180-8053 + 070-6053	180-8053 + 080-6053	180-8053 + 100-6053	180-8053 + 100-8053		
		Ω	ξ	Ω	EZ.		ξ		ξΩ	ξ	EZ.	3 + 07	30 + 83	3 + 07	30 + 89	3 + 10	3 + 10		
_	Tops	080-6053	080-8053	100-6053	100-8053	117H3	120-8053	138H3	150-8053	160-8053	180-8053	508-05	50-805	30-805	30-805	30-805	30-805		
Frames	Ĕ					<u>`</u>				16	- 2		1	18	- 12	2			
501-19 4X060		•	•	•	•														
501-19 4X095					•	•	•	•											
501-19 4X120						•	•	•											
501-20 4X092					•														
501-20 4X112							•												
501-20 4X142									•										
501-20 4X152										•									
501-20 4X172											•								
501-20 4X072			•																
501-23 4X190-190A													•		•	•	•		
501-23 4X200									•	•	•								
501-33 4X072			•																
501-33 4X092					•														
501-33 4X112							•												
501-33 4X142									•										
501-33 4X152										•									
501-33 4X172											•								
501-37 4X072		•	•																
501-37 4X092				•	•														
501-37 4X112							•												
501-37 4X142									•										
501-37 4X152										•									
501-37 4X172											•								
501-43 4X072			•																
501-43 4X092					•														
501-43 4X112							•												
501-43 4X142									•										
501-43 4X142-141A												•							
501-43 4X152										•									
501-43 4X172											•								
501-43 4X172-141A														•					
501-43 4X172-172A																•	•		
501-88 4X112							•												
501-88 4X142									•										
501-88 4X152										•									
501-88 4X172											•								
501-9 4X080		•	•	•	•	•		•											
501-9 4XW01		•																	_



Sales ConSet Australia Pty Ltd Capital Place, Carrum Downs, VIC 3201, Australia

Phone: 03 9775 0425

E-mail: sales@consetaustralia.com.au Web: www.consetaustralia.com.au

